

Product Specifications Iron Pipe Size (IPS)



IPS			Pressure Rating (psi)										
			379	335	319	250	200	160	138	125	100	80	64
Size	OD (in)		Standard Dimension Ratio (SDR)										
			6.3	7	7.3	9	11	13.5	15.5	17	21	26	32.5
3/4"	1.050"	Wall Min (in)					0.095	0.078					
		ID ^C (in)					0.859	0.894					
		Weight (Lbs/Ft)					0.126	0.104					
1"	1.315"	Wall Min (in)				0.146	0.120	0.097					
		ID ^C (in)				1.023	1.076	1.120					
		Weight (Lbs/Ft)				0.235	0.197	0.164					
1 1/4"	1.660"	Wall Min (in)				0.184	0.151	0.123					
		ID ^C (in)				1.291	1.358	1.414					
		Weight (Lbs/Ft)				0.374	0.314	0.261					
1 1/2"	1.900"	Wall Min (in)				0.211	0.173	0.141	0.123	0.112			
		ID ^C (in)				1.478	1.555	1.619	1.655	1.676			
		Weight (Lbs/Ft)				0.490	0.411	0.342	0.301	0.276			
2"	2.375"	Wall Min (in)	0.377	0.339	0.325	0.264	0.216	0.176	0.153	0.140	0.113		
		ID ^C (in)	1.621	1.696	1.724	1.847	1.943	2.023	2.069	2.096	2.149		
		Weight (Lbs/Ft)	1.032	0.948	0.915	0.766	0.642	0.534	0.470	0.431	0.353		
2 1/2"	2.875"	Wall Min (in)	0.456	0.411	0.394	0.319	0.261	0.213	0.185	0.169	0.137	0.111	
		ID ^C (in)	1.962	2.054	2.087	2.236	2.352	2.449	2.504	2.537	2.601	2.654	
		Weight (Lbs/Ft)	1.512	1.389	1.341	1.123	0.941	0.782	0.689	0.632	0.518	0.423	
3"	3.500"	Wall Min (in)	0.556	0.500	0.479	0.389	0.318	0.259	0.226	0.206	0.167	0.135	0.108
		ID ^C (in)	2.389	2.500	2.541	2.722	2.864	2.981	3.048	3.088	3.167	3.231	3.285
		Weight (Lbs/Ft)	2.242	2.058	1.988	1.664	1.395	1.159	1.020	0.936	0.768	0.626	0.505
4"	4.500"	Wall Min (in)	0.714	0.643	0.616	0.500	0.409	0.333	0.290	0.265	0.214	0.173	0.138
		ID ^C (in)	3.071	3.214	3.267	3.500	3.682	3.833	3.919	3.971	4.071	4.154	4.223
		Weight (Lbs/Ft)	3.705	3.402	3.286	2.751	2.306	1.916	1.687	1.548	1.269	1.035	0.835
5"	5.563"	Wall Min (in)	0.883	0.795	0.762	0.618	0.506	0.412	0.359	0.327	0.265	0.214	0.171
		ID ^C (in)	3.797	3.974	4.039	4.327	4.552	4.739	4.845	4.909	5.033	5.135	5.221
		Weight (Lbs/Ft)	5.663	5.200	5.022	4.204	3.523	2.928	2.578	2.366	1.939	1.582	1.277
6"	6.625"	Wall Min (in)	1.052	0.946	0.908	0.736	0.602	0.491	0.427	0.390	0.315	0.255	0.204
		ID ^C (in)	4.522	4.732	4.810	5.153	5.420	5.644	5.770	5.846	5.994	6.115	6.217
		Weight (Lbs/Ft)	8.031	7.374	7.123	5.963	4.997	4.152	3.656	3.355	2.751	2.244	1.811

Disclaimer

This document is copyrighted by Alexander Tubular LP. All information is for reference only and is not the specifications of the final product. Customers should make their own judgments as to whether our products and information serve a particular purpose and what regulations apply to customers' use of such products. Alexander Tubular LP. is not responsible or obligated for the contents of this document. Alexander Tubular LP. provides no warranties of any kind, either express or implied (such as merchantability and or fitness for a particular purpose, etc.) with respect to any information contained in this material. Alexander Tubular LP. may arbitrarily change the contents of this material without prior notice.

Product Specifications Iron Pipe Size (IPS)



IPS			Pressure Rating (psi)										
			379	335	319	250	200	160	138	125	100	80	64
Size	OD (in)		Standard Dimension Ratio (SDR)										
			6.3	7	7.3	9	11	13.5	15.5	17	21	26	32.5
8"	8.625"	Wall Min (in)	1.369	1.232	1.182	0.958	0.784	0.639	0.556	0.507	0.411	0.332	0.265
		ID ^c (in)	5.887	6.161	6.262	6.708	7.057	7.347	7.512	7.610	7.804	7.962	8.094
		Weight (Lbs/Ft)	13.612	12.499	12.073	10.107	8.470	7.038	6.197	5.687	4.662	3.804	3.069
10"	10.750"	Wall Min (in)	1.706	1.536	1.473	1.194	0.977	0.796	0.694	0.632	0.512	0.413	0.331
		ID ^c (in)	7.337	7.679	7.805	8.361	8.795	9.157	9.363	9.485	9.726	9.923	10.088
		Weight (Lbs/Ft)	21.146	19.416	18.755	15.700	13.157	10.933	9.627	8.834	7.242	5.909	4.767
12"	12.750"	Wall Min (in)	2.240	1.821	1.747	1.417	1.159	0.944	0.823	0.750	0.607	0.490	0.392
		ID ^c (in)	8.702	9.107	9.257	9.917	10.432	10.861	11.105	11.250	11.536	11.769	11.965
		Weight (Lbs/Ft)	29.746	27.313	26.382	22.086	18.509	15.379	13.542	12.427	10.187	8.312	6.706
14"	14.000"	Wall Min (in)	2.222	2.000	1.918	1.556	1.273	1.037	0.903	0.824	0.667	0.538	0.431
		ID ^c (in)	9.556	10.000	10.164	10.889	11.455	11.926	12.194	12.353	12.667	12.923	13.138
		Weight (Lbs/Ft)	35.864	32.931	31.809	26.628	22.316	18.542	16.327	14.983	12.283	10.022	8.086
16"	16.000"	Wall Min (in)	2.540	2.286	2.192	1.778	1.455	1.185	1.032	0.941	0.762	0.615	0.492
		ID ^c (in)	10.921	11.429	11.616	12.444	13.091	13.630	13.935	14.118	14.476	14.769	15.015
		Weight (Lbs/Ft)	46.843	43.011	41.546	34.780	29.147	24.218	21.325	19.570	16.043	13.090	10.561
18"	18.000"	Wall Min (in)	2.857	2.571	2.466	2.000	1.636	1.333	1.161	1.059	0.857	0.692	0.554
		ID ^c (in)	12.286	12.857	13.068	14.000	14.727	15.333	15.677	15.882	16.286	16.615	16.892
		Weight (Lbs/Ft)	59.286	54.436	52.582	44.018	36.889	30.652	26.990	24.768	20.304	16.567	13.366
20"	20.000"	Wall Min (in)	3.175	2.857	2.740	2.222	1.818	1.481	1.290	1.176	0.952	0.769	0.615
		ID ^c (in)	13.651	14.286	14.521	15.556	16.364	17.037	17.419	17.647	18.095	18.462	18.769
		Weight (Lbs/Ft)	73.192	67.205	64.916	54.344	45.542	37.841	33.321	30.578	25.067	20.453	16.502
22"	22.000"	Wall Min (in)	3.492	3.143	3.014	2.444	2.000	1.630	1.419	1.294	1.048	0.846	0.677
		ID ^c (in)	15.016	15.714	15.973	17.111	18.000	18.741	19.161	19.412	19.905	20.308	20.646
		Weight (Lbs/Ft)	88.562	81.319	78.549	65.756	55.106	45.788	40.318	36.999	30.331	24.749	19.967
24"	24.000"	Wall Min (in)	3.810	3.429	3.288	2.667	2.182	1.778	1.548	1.412	1.143	0.923	0.738
		ID ^c (in)	16.381	17.143	17.425	18.667	19.636	20.444	20.903	21.176	21.714	22.154	22.523
		Weight (Lbs/Ft)	105.397	96.776	93.479	78.255	65.581	54.492	47.982	44.032	36.096	29.453	23.763



Disclaimer

This document is copyrighted by Alexander Tubular LP. All information is for reference only and is not the specifications of the final product. Customers should make their own judgments as to whether our products and information serve a particular purpose and what regulations apply to customers' use of such products. Alexander Tubular LP. is not responsible or obligated for the contents of this document. Alexander Tubular LP. provides no warranties of any kind, either express or implied (such as merchantability and or fitness for a particular purpose, etc.) with respect to any information contained in this material. Alexander Tubular LP. may arbitrarily change the contents of this material without prior notice.

Product Specifications Ductile Iron Outside Diameter (DIOD)



IPS			Pressure Rating (psi)					
			335	250	200	160	125	100
Size	OD (in)		Standard Dimension Ratio (SDR)					
			7	9	11	13.5	17	21
4"	4.800"	Wall Min (in)	0.686	0.533	0.436	0.356	0.282	0.229
		ID ^C (in)	3.429	3.733	3.927	4.089	4.235	4.343
		Weight (Lbs/Ft)	3.871	3.130	2.623	2.180	1.761	1.444
6"	6.900"	Wall Min (in)	0.986	0.767	0.627	0.511	0.406	0.329
		ID ^C (in)	4.929	5.367	5.645	5.878	6.088	6.243
		Weight (Lbs/Ft)	7.999	6.468	5.421	4.504	3.640	2.984
8"	9.050"	Wall Min (in)	1.293	1.006	0.823	0.670	0.532	0.431
		ID ^C (in)	6.464	7.039	7.405	7.709	7.985	8.188
		Weight (Lbs/Ft)	13.761	11.127	9.325	7.748	6.261	5.133
10"	11.100"	Wall Min (in)	1.586	1.233	1.009	0.822	0.653	0.529
		ID ^C (in)	7.929	8.633	9.082	9.456	9.794	10.043
		Weight (Lbs/Ft)	20.701	16.739	14.028	11.656	9.419	7.721
12"	13.200"	Wall Min (in)	1.886	1.467	1.200	0.978	0.776	0.629
		ID ^C (in)	9.429	10.267	10.800	11.244	11.647	11.943
		Weight (Lbs/Ft)	29.275	23.672	19.838	16.484	13.320	10.919
14"	15.300"	Wall Min (in)	2.186	1.700	1.391	1.133	0.900	0.729
		ID ^C (in)	10.929	11.900	12.518	13.033	13.500	13.843
		Weight (Lbs/Ft)	39.330	31.803	26.653	22.146	17.895	14.670
16"	17.400"	Wall Min (in)	2.486	1.933	1.582	1.289	1.024	0.829
		ID ^C (in)	1,429	13.533	14.236	14.822	15.353	15.743
		Weight (Lbs/Ft)	50.868	41.133	34.471	28.642	23.144	18.973
18"	19.500"	Wall Min (in)	2.786	2.167	1.773	1.444	1.147	0.929
		ID ^C (in)	13.929	15.167	15.955	16.611	17.206	17.643
		Weight (Lbs/Ft)	63.887	51.661	43.294	35.973	29.068	23,829
20"	21.600"	Wall Min (in)	3.086	2.400	1.964	1.600	1.271	1.029
		ID ^C (in)	15.429	16.800	17.673	18.400	19.059	19.543
		Weight (Lbs/Ft)	78.388	63.387	53.121	44.138	35.666	29.238
24"	25.800"	Wall Min (in)	3.686	2.867	2.345	1.911	1.518	1.229
		ID ^C (in)	18.429	20.067	21.109	21.978	22.765	23.343
		Weight (Lbs/Ft)	111.837	90.433	75.787	62.972	50.884	41.714

Disclaimer

This document is copyrighted by Alexander Tubular LP. All information is for reference only and is not the specifications of the final product. Customers should make their own judgments as to whether our products and information serve a particular purpose and what regulations apply to customers' use of such products. Alexander Tubular LP. is not responsible or obligated for the contents of this document. Alexander Tubular LP. provides no warranties of any kind, either express or implied (such as merchantability and or fitness for a particular purpose, etc.) with respect to any information contained in this material. Alexander Tubular LP. may arbitrarily change the contents of this material without prior notice.